

# Color extensions with the **xcolor** package — log file example

Dr. Uwe Kern\*

v1.10 (2004/03/27)

The purpose of this file is to demonstrate the logging facilities of the xcolor package. By playing around with different values of `\tracingcolors`, one can observe the different behavior in the log file.

Table example:

|      |       |
|------|-------|
| test | row 1 |
| test | row 2 |
| test | row 3 |
| test | row 4 |
| test | row 5 |
| test | row 6 |
| test | row 7 |
| test | row 8 |
| test | row 9 |

Test with `\definecolor`

Test with `\color`

Current color application:

`current, 50%, complement`, mix and `current, 50%, complement, mix`,  
`TestTestTestTestTest` and `TestTestTestTestTest`.

Current color test with `\definecolorseries`:

Test  Test

Test with named colors:

Test: `JungleGreen`; Test: `JungleGreen`; Test: `JungleGreen!50!DarkOrchid`; Test:  
`green!50!red`.

Type test: 1234

---

\*This file is part of the xcolor distribution which can be downloaded from the CTAN mirrors (macros/latex/contrib/xcolor/) or the homepage [www.ukern.de/tex/xcolor.html](http://www.ukern.de/tex/xcolor.html). Please send error reports and suggestions for improvements to [xcolor@ukern.de](mailto:xcolor@ukern.de).